Referral Status: 🗖 New Patient		Updated Patient Information
--------------------------------	--	------------------------------------



CMC Infusion Center- Referral Face Sheet

Patient D.O.B						
Gender						
Patient Address						
ode						
Related Diagnosis Code (ICD-10 code):						
Referring Provider (Please Print)						
ffice Contact:						

If referring provider and/or patient is external to Conway Medical Center. Please include:

- Most recent history and physical including:
 - o Comprehensive medication list
 - o Past medical history
 - Related past/ failed therapies (with dates)
 - Known allergies
- Most recent labs / test result (Ex. CBC, PPD, Hepatitis screening, etc.)
- Insurance Information

Please fax requested documentation, face sheet, and treatment plan to **843-234-5460** attention CMC Medication Management Specialist. Please feel free to call 843-234-8575 with any questions.

We look forward to the opportunity to be a part of your patient's treatment journey at Conway Medical Center.

	$\overline{}$	ı	$\overline{}$		$\overline{}$	
Referral Status	Ш	New	Ш	Order Change	Ш	Order Renewal



Prolia® (denosumab) Treatment Plan

Patien	nt Name: Pat	ient DOB		
Genera	al Diagnosis- Age-related Osteoporosis w/o fracture IC Diagnosis- Other ICD-1			
Pt. Wei	eight Pt Height Known Al			
Reques	ested Start Date/			
Has pa	atient previously received this medication \Box No \Box Yes	s, if so, date of last infusion//		
<u>Prolia</u>	® (denosumab)			
□ 60	0 mg, Subcutaneous, Injection, Day of Treatment for 1 do Comments: Administer injection in upper			
□ 60	0 mg, Subcutaneous, Injection, Day of Treatment for 2 do Comments: Administer injection in upper			
$\overline{\mathbf{C}}$	INF Infusion Room Orders Subphase (Month 1 to 12)			
v	Communication Order (Month 1 to 12) Nursing to verify with patient that no invasive dent performed. If patient answers yes, nursing to con			
V	Communication Order (Month 1 to 12)	administration as well as monitor patient for 15 minutes		
☑	Communication Order (Month 1 to 12) Nursing to ensure negative HCQ urine screening of years of age with no history of hysterectomy or be	completed prior to each infusion for females 11-55 ilaterial oophorectomy		
☑		ne last 45 days prior to treatment initiation and within 6 y provider if corrected calcium level returns less than		
Labs (I	Month 1 to 12) Duration: 12 Months Calcium Level (if needed)			
	HCG Pregnancy Screening- Urine (If Needed)			
not limi	ation red Patient Counseling: Ordering provider has counseled patient to osteonecrosis of the jaw, importance of regular dentementation of Vitamin D / Calcium and supplied patient with	al exams, good oral hygiene, appropriate intake and/or		
		Provider initials (required)		
Prescriber Signature (No Stamped Signatures or Electronic Signatures)				
Provid	der Signature Provider	Name (please print)		
Data	/ / Time			